

>



Model Number: 20220750

Mytee LTD5LX Bundle Speedster Carpet Cleaning Machine 12gal 500psi Dual 3 Stage Vacs Auto Fill Auto Dump 115v 20220750

Manufacturer: Mytee Products Inc

Mytee LTD5LX Speedster Carpet Cleaning Extractor Starter Kit 20220750

This 12 Gallon Carpet Cleaning Extractor is New and on Sale.

Mytee LTD5LX Bundle. Save over purchase individually! Includes each item in the list below. Click to open in a new tab to read more about it or to purchase individually.

Mytee LTD5 15gal 500psi Dual 3 Stage Vacs Auto Fill Auto Dump Carpet Upholstery Extractor Machine Only



Dealer Provided

Faucet Adapter 13/16s to Garden Hose Connection

Dealer Provided  
Clean Storm Auto Fill Hose 6 ft By 1/2 Inch ID with 90 degree Fitting  
for Hot water Garden Hose

Dealer Provided  
-Clean Storm Hose Set - 65 ft (50 ft 2 in + 15 ft of 1.5"ID Vacuum  
& 1/4 in 3000 psi Solution) with Connections and QD's



Dealer Provided  
Westpak 12in 1200psi Double Bend Double Jet 10-1455 Wand  
- Glide + None  
- Jet Size (Default) Dual 110015  
- Quick Disconnect Needed .Male Brass (Default)  
- Shipping Surcharges + Signature Required On All Deliveries USA

Dealer Provided  
Hydro-Force: Grandi Groomer Carpet Rake Complete 8.618-214.0



Dealer Provided  
Nilodor Dri-Way Jr Encapsulation Machine Counter Rotation CRB  
Scrubber 8.626-988.0 Sebo Duo P 9401AM Agitator 12"

jug AS08P  
Dealer Provided  
Hydro Force: Injection Sprayer Plus High Pressure with blow molded



Dealer Provided  
Shazaam: Carpet Cleaning Auto Detailing Start Up Chemical Package  
Starter Pak

Dealer Provided  
Shazaam: Chemical Start Up Package for Stains and Spotting Starter  
Kit

Dealer Provided  
Wall Buddy Corner Guard 861609



Dealer Provided  
Clean Storm Speed Perimeter Crevice Tool: Vacuum Only, Aluminum  
Pipe, 1-1/2" ID, 42" Long

Dealer provided  
PMF Internal Spray 3.5" Wide 1.5"Pipe 500psi Plastic Clear Head  
Stainless Steel Lips With Filter and Male QD Wand Package

>

Dealer Provided -Free Training DVD Package of 3: Covers the basics a Cleaner needs to know  
Spend 4.5 Hours With IICRC Certified Master Cleaner, Master Restoration Technician and Certified Senior Floor Covering Inspector  
SteamBrite Exclusive!

This machine has a 500 PSI Pump, Dual 3 Stage High Performance Vacuums

Speedster® LTD5LX Carpet Extractor

Details

Superior performance &ndash; This versatile powerhouse packs a punch with a 500 PSI Triplex adjustable pump, as well as two ultra-high performance, 3-stage vacuums that maximize dirty water recovery while minimizing dry times. The LTD5LX offers unmatched performance and reliability to get the job done right.

User-friendly features &ndash; Including an auto-fill and auto pump-out, dual external vacuum ports, waist-high switch plate and regulator, waist-high prime valve with an industry-first recovery tank rinse hose, a solution tank drain, and auto-chemical metering kit.

Optional features:

- Accessory tray
- De-foamer kit

Durability &ndash; Sleek new body design made from roto-molded polyethylene, 10" foam-filled, semi-pneumatic wheels and 4" locking casters for safe and easy transport.

Customer Service &ndash; Mytee® always offers a limited lifetime warranty and national network of service centers.

The new Speedster® LTD line of extractors will take your cleaning capabilities to the next level with the combination of power, versatility and efficiency. Available in both heated and cold water models, the Speedster® LTD will change the way that you look at portable extractors!

>

MSRP  
\$4,999.00

Warranty  
Limited lifetime

Body  
Roto-molded polyethylene

Tank  
12 gallons

Vacuum  
Dual high performance LX Motors

#### Factory Installed

\* Dual exclusive Mytee®; Ametek Hybrid Motors produce 182' of water lift @ sea level @ zero CFM. (in series) (SteamBrite test 180" @ elevation 900 ft)â€”

\* 225 CFM @ sea level with both vacuum motors on unrestricted / zero inches of lift.\* (SteamBrite test 216 CFM / elevation 900 ft)â€”

\* 38,880 Vacuum unitsâ€”

\* 30 amp total vacuum system / 15 amps per motor



CFM  
225 (Steambrite Test 216)

H2O  
182 inches lift (38,880 vacuum units)

Suction Feed Pump

Factory Installed  
General Pump T9051EBF Mytee C332 Pump Head 1750 RPM Bolt On  
to 56c Frame Electric Motor  
or similar

or

Factory Installed  
Cat 1XP150.051 Mytee C313A 500psi Water Pump Carpet Cleaning  
or similar

We say OR because Mytee has been making both models of water pumps and we do not open the box to see what is under the hood. We just confirm the model number on the box and voltage.

>

PSI  
25 - 500psi Adjustable

General Pump GPM  
2.2

Pump-out GPM  
3.3

Factory Installed  
Aquatec: 60 psi Pump Out Pump 3.3 GPM, 230 Volts Auto Dump Out  
5503-2E6E-V716 C381A

Optional Heater  
1,600 W - 210 degree maximum (if you want heat, look at the Mytee LTD3)

Mytee A908 1600 watt Inline Heater (internal motor box mount) 115  
volts

Automation  
Factory Installed: Auto-fill kit for solution tank, automatic pump-out for  
recovery tank

>

Wheels  
10"

Locking Casters  
4"

Power Cord  
Dual 50' 12/3

Factory Provided (2)  
Extension Power Cord 50 ft 12-3 115 volt AX33 860831 Mytee E530  
or similar

Included  
" ; Cuff-Lynx" ; coupler swivel (2" female x 2" female vac hose)  
and " ; Cuff-Lynx" ; reducer(2" female x 1.5" female), wire  
hanger for storing hoses and cords, drain elbow, pack of 25 Piglet" ; filters

Product Weight  
135 lbs

Shipping Weight  
175 lbs

Product Dimensions  
30" x 20" x 42"

Shipping Dimensions  
37 1/4" x 21 1/2" x 50 3/4"

>

Mytee LTD3, LTD5, and LTD12 Owners Manual

Mytee LTD5 Parts and Schematics

Mytee LTD5 Wire Schematics 115 volt

.  
Optional Accessories:

20121201 Clean Storm Complete Auto Fill and Auto Dump Hot Water  
Connection Kit

20121216 -Clean Storm Hose Set - 65 ft (50 ft 2 in + 15 ft of 1.5"ID Vacuum  
& 1/4 in 3000 psi Solution) with Connections and QD's

>

Mytee P507 Transport Tray for Mytee carpet extractors

5000 Electrical Converter Twin Pack One 3 Wire 30 amp and One 4 Wire/Prong TO 115 Volt Single Gang Adapter With Breakers (2 outlets each)

#### Warranty Details

##### Mytee Limited Warranty Policy

Mytee Products, Inc. endeavors to provide high quality products and product support to its customers and therefore backs up all of its new products purchased from Mytee Products Inc. (Mytee) or any authorized Mytee distributor/service center with this limited warranty.

This limited warranty begins on the date of the customer purchase and is valid and available to the original purchaser only. Mytee products are for commercial use only and are not intended for personal, family or household uses.

HOWEVER, OTHER THAN SET FORTH HEREIN, MYTEE GIVES NO WARRANTY, EXPRESS OR IMPLIED, AS TO DESCRIPTION, QUALITY, MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, PRODUCTIVENESS, INFRINGEMENT, OR OTHER MATTER, OF ANY GOODS WHICH MYTEE SHALL SUPPLY. THERE ARE NO WARRANTIES, WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. MYTEE SHALL IN NO WAY BE RESPONSIBLE FOR THE PROPER USE AND APPLICATION OF THE GOODS. MYTEE NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR MYTEE ANY OTHER LIABILITY IN CONNECTION WITH THE SALE

>

OF MYTEE'S GOODS. THIS LIMITED WARRANTY POLICY MAY BE CHANGED OR WITHDRAWN BY MYTEE AT ANY TIME WITHOUT NOTICE.

**90-DAY PARTS AND LABOR LIMITED WARRANTY:** Mytee will cover parts and labor on all components for 90 days from the date of original purchase. This warranty covers the cost of replacement and labor only, and does not cover shipping costs.

**WEAR PARTS 90-DAY LIMITED WARRANTY:** Mytee will replace all wear parts for 90 days from the date of original purchase. Wear parts are items which wear out as a result of usage or the passage of time and are consumed despite attempts to maintain them, such as gaskets, wheels, brass, cords, wires, electrical terminals, hoses, switches, thermostats, plastisol parts, filters, bearings, brushes, solenoids, o-rings, bulbs, heating elements, castors, or other parts deemed wear items in Mytees sole discretion. This warranty covers the cost of replacement only and does not cover shipping or labor costs.

**1-YEAR MAJOR COMPONENTS WARRANTY:** Mytee warrants that pumps, vacuum and floor machine motors, and heaters are covered for a one (1) year limited warranty from the date of original purchase. This warranty does not apply and is void if the pump, vacuum motor, or heater has worn brush motors, water damage, chemical build-up, chemical damage, or evidence of abuse, neglect or tampering. This warranty covers the cost of replacement only, and does not cover shipping or labor costs.

**HOUSING LIFETIME LIMITED WARRANTY:** Mytee warrants that all rotationally molded housing and tanks will be free from manufacturing defects, defects in workmanship, and defects in material for the life of the part. Replacement cost does not include the cost of shipping or labor.

**LIMITATION OF DAMAGES:** THE REMEDY OF REPLACEMENT OR REPAIR OF ANY DEFECTIVE GOODS SHALL BE THE EXCLUSIVE REMEDY UNDER ANY WARRANTY MADE BY MYTEE, WHETHER EXPRESS OR IMPLIED. IN NO EVENT SHALL MYTEE BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES, PROPERTY DAMAGES, OR PERSONAL INJURIES.

All limited warranties are void for, and Mytee does not warrant in any way, any product that evidences misapplication, improper installation, abuse, lack of maintenance, negligence in use or care, abnormal use, alteration of design, use of incompatible or corrosive chemicals, use in a rental service, and/or servicing, installation of parts, or repairs by anyone other than Mytee or a Mytee authorized distributor or service center. Mytee may make changes in products it manufactures and markets at any time; these changes are made without obligation to change, retrofit, or upgrade any product previously sold or manufactured.

Mytee has no obligation to honor the limited warranties set forth herein unless the original purchaser, promptly upon discovering the warranty claim and prior to continuing to use the product, contacts Mytee or a Mytee authorized distributor or service center to describe the claim and to receive and follow instructions for documenting and resolving the claim. In addition, the purchaser must provide the product to which the claim applies to Mytee or a Mytee authorized distributor or service center for a thorough inspection.

If any provision or portion of this limited warranty policy is found to be unenforceable, then the remaining provisions and portions shall remain valid and enforceable. If any provision or portion of this limited warranty policy is found to be limited by law, then that provision or portion shall be construed to make it effective within the bounds of law. For example, if there are legal limitations on the duration of warranties, the warranties made herein shall be construed to have the minimum duration required by law, or, if there are legal limitations of exclusion of remedies, the exclusions made

>

herein shall be construed to apply to the fullest extent possible without violating the law.

The validity, construction and performance of this warranty policy shall be governed by the laws of the State of California, without respect to conflicts of laws principles. The exclusive jurisdiction of any legal action arising from or related to this warranty policy shall be in the State of California and no legal action shall be commenced elsewhere.

Be sure to register your Mytee purchase [HERE](#)

<http://www.ebay.com/itm/Mytee-LTD3-Speedster-Heated-Carpet-Cleaner-with-Auto-Dump-Automatic-Water-Feed-/221268101343> \$2199.99

-->

Mytee LTD5 Carpet And Upholstery Cleaning Machine  
Mytee m5

- vacuum inlet and float for increased CFM
- Aluminum lift handles for easy loading/unloading
- Easy open vacuum tank lid
- Detachable power cords
- Large hanger for storing hoses and cords
- Auto-Fill for Solution Tank
- Auto Pump-Out for Recovery Tank

A 500 P.S.I. adjustable pump and dual high performance vacuum motors will help you achieve maximum efficiency, minimal dry times, and optimal cleaning performance.

Question: What am I going to see in difference between the Mytee LTD5 VS the Mytee LTD3?

Answer: The Mytee LTD5 does not have a heater in it but does use larger 3 stage vacuum motors. While both the LTD extractors use 3 stage vacuum motors, the LTD5 vacuum motor are conical shaped on the bottom, pull more electricity and do a better job gulping the air which in turns means drier carpets. Advantage would come with using a power wand, like the Mytee T-Rex because with the larger 15" wide cleaning path the extra vacuum can be a real plus. The advantage of the LTD3 is the heater during us of lower flow applications. Example mattress cleaning, upholstery cleaning, auto detail cleaning, or even using a standard two jet wand. The heater will raise the temperature more than 18 degrees and will double the cleaning efficiency. When choosing between the two, you can also consider a the best of both worlds by purchasing the LTD5 and add a separate heater on a third power cord with the purchase of an external heater. By removing the heater from under the hood the machine is lighter and easier to lift in and out of the service truck. By adding an external heater, you will double your cleaning performance without having to sacrifice smaller vacuum motors.

Question: What do most cleaners purchase? LTD3 or LTD5?



Answer: LTD3 outsells better than the LTD5 because the heater is included but has smaller vacuum motors than the LTD5.

Optional:

Steambrite Supply



Steamrite

>

Shazaam: Automatic Fill Kit for Carpet Cleaning Machines AutoFillKit

What machines have similar vacuum and water pressure performance?

This is a 26 amp vacuum system with an 800 psi pump head coupled with a 500 psi pump electric motor.

This is the same performance as other 26 amp vacuum systems that have 500 psi pumps installed.

Examples are or compare to current or past OEM associations (about 36,550 vacuum units):

Mytee LTD5

Mytee 1005DX

Nautilus Extreme

Mytee 7000S, and 7000SX Flood Extractors

KleenRite Mega X Flood Extractor

OR Example of 30 amp vacuum system

Goliath Quad 2 stage (1st portable to exceed 42,500 vacuum units and out suck a 15 HP gasoline 33 truckmount.[41,000 vacuum units])

OR Example of 45 amp vacuum system

Mytee Escape PLUS (outputting 242 CFM and 17.5 in. Hg /238 Inches X 242 CFM = 57,594 vacuum units)

OR Example of 50 amp vacuum system

Goliath Quad 6.6 vacs (73,100 vacuum units)

---

*Availability: This product was added to our catalog on Monday 30 July, 2012*