

>



Model Number: ReverseL14-30R

Power Joiner Step Up Inverter Converts Dual 20Amp 120V Outlets 240V 4Wire 20Amp
ReverseL14-30R Dual 5-15> L14-30R

Manufacturer: Clean Storm

Power Cord Adapter Inverter (Reverse Converter) Takes two 115 volt outlets and allows you to use 230 volt appliances that uses under 20 amp @ 230 volts (4600 watts) Single phase current to NEMA L14-30R receptacle. Commonly used on Husqyarna PG530 and Honway HW-G4 and HW-G6 planetary concrete grinders, Blue Phantom 22 Planetary concrete grinders (both dual and triple headed), Water Out and DrySmart Commercial Large Loss Drying and Cooling Trailers. Fast and easy 220 volts. This is the same plug found on many 6500 watt and larger generators.

This part number transfers Dual NEMA 5-15P To Single L14-30R
Honway HW-G4 and HW-G6 Power Supply. No Gasoline Generator Required!

Works with

Zencar Level 2 EV Charger(240V, 16A, 25ft), Portable EVSE Home Electric Vehicle Charging Station Compatible with Chevy Volt, Nissan Leaf, Fiat, Ford Fusion(L14-30 plug)

Car models is known to work well with

Tesla Model S, Tesla Model X, NissanLEAF, BMW i series, Chevy Volt, Chevy Bolt, Fiat 500e, Ford C-Max Energi,Ford Focus Electric, Ford Fusion Energi, Honda Accord Plug-in Hybrid, Kia Soul EV, Mercedes B-Class Electric Drive, Mitsubishi i-MiEV,Porsche Plug-inHybrids, Smart Electric Drive, Toyota Prius Plug-in Hybrid, Volkswagen E-Golf.

Used with:

,Sirocco PEV3/30 Portable Electric Vacuum Pressure Washer Recovery
300cfm Tiple 3 stage 135in Water Lift 30 gallon

Other 220 to 240 volt receptacles available including but not limited to: NEMA 6-30R, NEMA 6-50R, NEMA 10-30R, NEMA L14-30R, NEMA L16-30R, NEMA 14-60R, and more...

>

Perfect for electric cars, pressure washers, welders, plasma cutters, vapor steam cleaners, mobile simulation lab (RN), and other high powered equipment when 230 volt plugs are just not available.

Compare to the Dupray Converter Pack 220V allows you to take advantage of the superior cleaning capabilities of your Dupray Steam Box Steam Cleaner nearly anywhere! The converter pack is designed to plug into two separate 110V plugs on two separate breakers so that you can safely run your 220V machine. The Converter Pack features two 25' commercial-grade extensions so you can safely and conveniently access two 110V circuits that are on differing breakers. The Unit features a green indicator light that glows when the proper power source is found. Compatible with 220v versions of the Dupray Carmen Super Inox, Dupray Steam Box, and Steam Pro Industrial Steam Cleaners.

Not for use on GFCI or LDCI 115-125 volt Outlets (because it will trip)

To use simply plug into different outlets and push the momentary button to test voltage. If the voltage test light turns on you are good to go. Not all outlet combinations will produce the correct voltage so you have to test before each use. If you push the voltage test button and the green light does not turn on, simply re-located one of the power cords to a different location and retest. Every job site location has the ability to provide plus or minus 230 volts. If you use 15 amp 115 v to 120 volt circuits then you will only be able to operate 15 amp 230 volt equipment. If your pressure washer needs 23 amps @ 230 volts and you are plugged into 20 amp 115 volt outlets, you will need to turn the pressure down to lower the amp draw. Just turn the pressure regulator / unloader knob counter clockwise. The less pressure, the less horse power is needed to turn the electric motor and this will lower the amp draw. Most 230 volt pressure washers draw less than 20 amps @ 230 volts any way so usually you will not have to turn the pressure down. Until both 120 volt power cords are connected to a 120 volt electrical source, it is electrically isolated from the electrical circuit of the exposed male plug on the 2nd power cord. This protects the user from accidental shock through the exposed male plug contact.

New smaller Plastic Box is now only 6" X 6" X 5"
Dual 12-3 X 25 ft power cords with triple 20 amp push breakers.
240 volt Green Test Light with Momentary switch OR optional 250 volt Analog meter
Rubber feet on bottom of box

You must test both wall outlets with a receptacle polarity tester before use!

Electrical Outlet Receptacle Tester 3 wire 120 volt

>

20100823

Note: User assumes all responsibility on use. It is the users responsibility to check the inbound voltage, outbound voltage, and total amp draw to verify these are not going to be overloaded. The user agrees to test the amp draw of any appliance or machine that they plug into these converters to ensure they are not being overloaded. Meters are cheap and mistakes are expensive. You can purchase a meter at <https://www.steam-brite.com/voltage-meter-multitester-p-6259.html> User agrees to hold Steam Brite, its employees, and agents harmless in the event of any use of said use of converter. The user agrees to not hold SteamBrite and all employee against any problems that arise out of the use of said converters/ inverters. Remember, just because it plugs in does not mean it is OK to use!

Please remember the 80/20 electrical rule. If you are going to plug into a 15 amp outlet and draw long term the device needs to be under 80% of 15 amps = 12 amps max.

If I plug into dual 20 amp breakers long term then the 80/20 rules math is 20 amps X 80% = 16 amps max.

Factory Installed Dual
Extension Power Cords 12-3 25 feet Heavy duty 10-0860

Factory Installed Three Breakers
Clean Storm Panel Mount 20 amp push button resettable breakers
PP33-900163 PP140634 PHY018-005 E779

90 day manufactures warranty or add 2 or 4 more years for a little more.

This electrical device is used by Flood Support LLC in Cochranville, PA 19330 with their DrySmart Diesel 500 Heat Drying Trailers. Prevents the need to run the trailer on a generator or hire an electrician to wire in a special plug.

>

Compare to current or Past OEM Associations:
CONVPACK01

Electrical Items are non-refundable.
Owners Manual

Availability: This product was added to our catalog on Friday 28 September, 2012