

>



Model Number: F511

Drieaz F511 Flood Extraction Wand 14in Sapphire Scientific Tool Freight Included

Manufacturer: Drieaz

Dri-Eaz Extraction Tool F511

Easy operation and fast extraction

The Extraction Tool makes fast work of any flood extraction job. Its patent-pending glide creates a powerful seal to maximize carpet compression while still allowing enough airflow to ensure thorough water removal from all carpet types. A convenient vacuum break lever allows for smooth operation, no matter the carpet type. Plus, the tool is comfortable to operate and easy to clean out and comfortable to operate even on the largest projects.

#### Product Features

- Ergonomic rotomolded handle for all-day comfort — use right- or left-handed. Save your back! Instant vacuum release lever means there's no need to tilt or reposition tool.
- Easy-clean rotomolded head with replaceable glide.
- View window in head shows extraction progress; may be removed for cleaning.
- Rugged stainless steel 2" tube. (can be used with 1-1/2" ID hose as well with the use of the AH46 expanded hose cuff)

Tackle the largest flood jobs fast with the NEW Extraction Tool

The Dri-Eaz Flood Extraction Tool (F511) makes quick work of any flood extraction job. A patent-pending glide creates a powerful seal, maximizing carpet compression — even from deep in the pad!

Many extraction tools require awkward positioning or even counting to ensure thorough extraction. Some also "grab" the carpet. But the Dri-Eaz Extraction Tool is ergonomically designed plus it's equipped with a vacuum break lever. A quick flick of the lever is all it takes to release the tool and resume extraction. This means smooth extraction.

No other manual tool provides more complete water removal! Works on all carpet types, too!

#### FEATURES

Don't wrestle it; release it! Vacuum release lever means instant release if the tool "grabs."

Best of all - it extracts significantly better than other manual tools!

Owner Manual

Sales Brochure Product Specifications

>

## Model

Dri-Eaz Extraction Tool F511

## Weight

8.2 lbs. | 3.7 kg

## Dimensions

Head width: 14 in. | 35.6 cm

Handle height: 42 in. | 106.7 cm

Total length: 52 in. | 132.1 cm

Tube thickness: 0.035 in. | 0.089 cm

## Construction

Stainless steel tube and vacuum break assembly; rotomolded handle and extraction head; plastic extraction guide.

Not wand does not contain spray lever, jets, or other liquid application system required for carpet cleaning.

Technical tips to keep you competitive! From the Legend Brands family - Dri-Eaz, Sapphire Scientific, ProRestore, and Chemspec.

Improve extraction effectiveness with these simple techniques

>

Regardless of the type of vacuum equipment used, following some common-sense techniques can really increase your overall extraction performance:

When excessive contents are present during restoration, extract the center of the room first to minimize content handling and speed the process. Then move contents to the center of the room, protect contents, and extract the perimeter.

Keep the extraction hose as short as possible because resistance increases with hose length.

Use the largest diameter of extraction hose approved for the tool and vacuum (refer to the manual). For portable deep extraction tools it's usually 2" (5 cm). Some truckmount units use 2  $\frac{1}{2}$ " vacuum hoses.

Avoid loops and bends - they reduce extraction efficiency.

"Live" or "active" hose reels, while great for carpet cleaning, shouldn't be used for extraction. In other words, un-spool all the vacuum hose off the live reel if you use one. Don't have the water up down and round the reel over and over.

---

*Availability: This product was added to our catalog on Friday 08 February, 2013*