

>



Model Number: Z602
Kubota Z602 Super Mini Diesel Engine E4B KRC1 1J953-11000 - 8.751-398.0

Manufacturer: Kubota Engine

Kubota Z602 Super Mini Engine

599 cc engine
Hydrotek part number MU168
electric start
40 amp charging system
Diesel Fuel
1-1/8" shaft
Muffler included

Z602-E4B KUBOTA SUPER MINI SERIES

Model

Z602-E4B

Emission Regulation
Tier 4

Type
Vertical 4-cycle liquid cooled Diesel

Number of Cylinders
2

Bore
mm (in)
72 (2.83)

Stroke
mm (in)
73.6 (2.90)

Displacement
L (cu.in)

>

0.599 (36.55)

Combustion System
IDI

Intake System
Naturally Aspirated

Maximum Speed
rpm
3600

Output: Gross Intermittent
kW
12.5

hp
16.8

Direction of Rotation
Counterclockwise Viewed on Flywheel

Oil Pan Capacity
L (gal)
2.5 (0.66)

Starter Capacity
V-kW
12-1.0

Alternator Capacity
V-A
12-40

Length
mm (in)
384.6 (15.14)

Width

>

mm (in)
420.5 (16.6)

Height
mm (in)
544.1 (21.42)

Dry Weight
kg (lb)
60.0 (132.3)

(*) SAE J1995

*Specification is subject to change without notice.

*Output: Gross Intermittent SAE J1995

*Output: Stand-by, Continuous ISO 3046

*Dry weight is according to Kubota's standard specification.

When specification varies, the weight will vary accordingly.

Compare to current or past OEM associations:

Z602-E4B-HYD-1 Kubota Diesel (HT SPEC Z602-E4B-HYD-1) 16.8 Gross HP/
13.5 Cont.Net HP @ 3600 RPM.

Kubota Z602 Brochure

Availability: This product was added to our catalog on Thursday 02 January, 2014