

>



Model Number: HTXS1813S

General Pump HTXS1813S, 3.5gpm 2000psi 1450rpm, Emperor Run Dry High Temperature, Hydramaster 000-111-188

Manufacturer: General Pump

General Pump HTXS1813S 3.5gpm 2000psi 1450rpm Emperor Run Dry Hydramaster 000-111-188

\*\*\* Factory updated / superseded as [EPHT1813S], same specs \*\*\*

Handles super 185 degree F inbound hot water!

- Features patent-pending high tech packings
- Solid ceramic plungers
- Patent-pending inlet/outlet valve cage
- Nickel-plated inlet/outlet valve plugs
- Nickel-plated forged brass manifold with exclusive lifetime warranty
- Specifically designed to handle rigorous duty cycles, high temperatures and chemicals
- Ideal for use in carpet cleaning and other high pressure cleaning applications

## SPECIFICATIONS - HTX1813S

Maximum Volume  
3.5 gpm

Max. Discharge Pressure  
2500 psi

Maximum Pump Speed  
1450 rpm

Maximum Inlet Pressure  
125 psi

Maximum Inlet Vacuum  
3 ft. water (2.6 in Hg)

Bore

>

.709 in / 18 mm

Stroke

.512 in / 13 mm

Crankcase Oil Capacity

14.0 oz

Maximum Fluid Temperature

185&deg;F

Inlet Port Thread

1/2-14 BSP-F

Discharge Port Thread

3/8-19 BSP-F

Shaft Diameter

.945 in / 24 mm

Weight

18 lbs

Dimensions

8.4 x 8.3 x 5.6 in

General pump Maintenance Guide

Sales Brochure

Used on the Sapphire Scientific 370SS Truckmount

Inventory Part HTXS1813S

UPC 682491043218

Hydramaster 425 Titan 000-111-188

Sales tax collected in TX, FL, and CA

>

<https://www.pressurewasherauthority.com/item--pressure-washer-pumps--general-pump-htx1813s.html>  
-->

*Availability: This product was added to our catalog on Thursday 30 January, 2014*