

>



Model Number: E4035HC

Pressure Pro E4035HC Eagle 4gpm 3500psi Gas Direct Cold Pressure Washer 13hp Honda Cat Pump

Manufacturer: Pressure Pro

Pressure Pro E4035HC Eagle Gas Direct Connect Cold Pressure Washer
3500 psi
4 gpm

Honda GX390 13 HP Engine
Cat 66DX40G1 Pump

Clean Speed: 14,000 Cleaning Units

E4035HC Brochure

Sales Brochure of Smaller 200cc engine with smaller pump
STANDARD FEATURES

Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
Lifetime frame warranty
50 mesh inlet filter
Adjustable pressure unloader
Low oil shutdown
Pneumatic tires
Dual padded shock absorbing feet
3/4" cold-rolled steel axle
Commercial/Industrial grade engines
Thermo-sensor (prevents overheating in bypass mode)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

Gun/wand assembly w/quick connects
50' high pressure hose w/quick connects
Chemical injector
4 color-coded QC spray nozzles
1 color-coded QC chemical nozzle

AVAILABLE OPTIONS
ALL MODELS

Skid Mount - precede model with S/ Example: S/E4040HG

AVAILABLE OPTIONS
GX390 MODELS ONLY

>

Electric Start upgrade option: Available on GX390 Hondas only. All electric start models include battery and marine battery box.

AVAILABLE OPTIONS

E3024 & E3027 MODELS

UPS-Shipping Carton: No Extra Charge Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly. Order standard model and add UPS suffix after model. Example: E3027HA-UPS

NOTE: UPS models require minor assembly.

Pressure Pro E4035HC Eagle Gas Direct Connect Cold Pressure Washer

Save On Texas Sales Tax and Get Free Shipping: (E-mail Us For Details)
Over View:

This NorthStar high-performance pressure washer combines the power of premium Honda GX engines with a long-life direct drive axial pump for unsurpassed performance on tough cleaning tasks. Horizontal shaft engine is engineered for long life. Rear hose-entry spray gun with split lance keeps the hose out of the way for easy handling. Coil assembly is fully encased in a custom-molded ceramic fiber refractory combustion chamber with low thermal conductivity and resistance to thermal shock.

Features:

- Honda GX160 OHV engine features cast iron sleeve
- Horizontal shaft engines last five times as long as vertical shaft engines
- Direct drive axial pump has easy start
- 22mm quick connection makes it easy to use multiple attachments
- 5 quick-couple professional nozzles
- Downstream chemical injector
- Contact with water or oil will not damage insulation; upon drying the insulation regains its original shape
- Uses 1/2in. schedule 80 extra-heavy pipe
- Forged brass manifold gives improved strength over cheaper aluminum
- Easy Start stops pressure build-up during start-up
- Adjustable pressure for job versatility
- Sight glass lets you quickly check pump oil
- Includes a long-lasting, non-marking steel-braided rubber hose
- Push down-style cart enables smooth, balanced mobility
- Durable 1 3/8in. tubular steel frame
- Big 10in. pneumatic tires

Tech. Specs:

>

Pressure (PSI)

3,000

Flow (GPM)

2.5

Engine

Honda GX160 OHV

Engine Displacement (cc)

163

Gross Torque

7.6

Pump

Axial

Drive

Direct

Gun

Industrial rear-entry with 3-ft lance

>

Nozzle Type

Quick-connect 0°, 15°, 25°, 40° and soap nozzle

Orifice Size

3

Hose

50ft. gray high-pressure hose with 3/8in. quick-couplers

Cart

Push down cart with 10" pneumatic tires

Fuel Capacity (gal.)

0.83

Max. Inlet Water Temp (°F)

140

Max. Output Water Temp (°F)

140

Please note that NothernTool, NorTrac, ETQ generators, Generac generators, and NorthStar (as well as others) equipment collects sales tax in 15states. Colorado,

>

Florida, Georgia, Iowa, Kansas, Minnesota, N Carolina, N Dakota, Oklahoma, S Carolina, S Dakota, Tennessee, Texas, Virginia and Wisconsin. To exempt you must be a non profit or government facility.

-->

Availability: This product was added to our catalog on Monday 17 February, 2014