

>



Model Number: RM85
Ebac RM85 Dehumidifier 10560RG-US

Manufacturer: Ebac

Ebac RM85 Dehumidifier

Application

EIPL are a recognized world wide supplier of flood restoration drying equipment. We offer a variety of dehumidifiers and air movers to remove water and assist with drying areas after water damage. Following a flood, whether it is in your basement or office, it's vitally important to restore the damaged area to good order as soon as possible to protect your health from microorganisms, mold and bacteria that may grow and ultimately prevent further damage. Whether it is a flash flood, heavy rains or water main break, EIPL have the equipment to handle the harshest environments and assist with proper restoration

EIPL Rotamoulded Range

The RM85 Dehumidifier is another addition to the EIPL range of Rotational Moulded Polyethylene Housings. This super durable housing, and EIPL's years of experience with refrigeration systems, ensures the product not only looks the part, but is also capable of outperforming competitors models of similar capacities. The RM85 is also available in Dual Voltage making the unit ideal for the hire trade. The robust ridged handle and large diameter durable wheels ensures transport and manoeuvrability are not compromised. It's lightweight yet robust design is ideal for commercial and residential work. Its compact size permits one-man operation, yet it has the capacity to handle several room-size areas at a time. Best of all, it's affordably priced within the budget of most restoration specialists. The RM85 housing also incorporates a facility to safely stack units, thereby significantly reducing storage and transportation costs

Save Time And Money

No more worries of forgetting to empty buckets, due to customer demands the RM range of products incorporate high capacity condensate pumps. The 3m maximum pump height will ensure no installation is too difficult. Install, connect to a permanent drain, and forget until the job is complete. With the aid of a purge facility, all residual water can be drained from the pump tank prior to moving the machine therefore eliminating the chances of spillage.

Low Temperature Operation

The RM85 is equipped with a "Hot Gas" defrost system, ensuring a quick and efficient clearing of ice from the coil, allowing a minimum operating temperature of 3°C.

Attention To Detail

Sometimes the less expensive features are overlooked. The RM85 is supplied complete with cable and hose tidies, Not only will this reduce the possibility of damage when the units are transported, but also provides easy installation when positioning the equipment.

Proven Performance

The EIPL RM85 Professional Dehumidifier is a rugged, yet mobile piece of equipment that will operate under extreme conditions and pull large amounts of moisture from the air. Whenever there is a need for fast dependable, energy efficient drying, EIPL can provide the answer. The high efficiency Rotary compressor ensures the

>

maximum extraction with the lowest running costs.

Part Number

10560RG-US

RM85

Height (inch)
37.0

Width (inch)
21.5

Depth (inch)
19.0

Weight(lbs)
99.0

Voltage
115

Phase
1

Frequency(Hz)
60

Power(kW)
0.68

Current(A)
6

>

Airflow(cfm)
330

Noise Level(dba)
52

Refrigerant Type
R407c

Effective Volume(ft3)
8.369

Typical Extraction(ppd)
70

Min Operating Temp (°F)
37

Max OperatingTemp (°F)
90

On/Off Switch
Y

Hours Run Meter
Y

Pump Purge Switch
Y

Hot Gas Defrost
Y

>

Electronic Defrost Timer
Y

Temperature Sensitive Defrost
Y

Washable Air Filter
Y

Compressor Type
Rotary

Fitted Mains Plug
Y

Large Diameter Wheels
Y

Integral Condensate Pump
Y

Washable Air Filter
Y

Rotational Moulded Body
Y

Ductable
Y

Ridged Handle
Y

Stackable
Y

Moulded Lifting Handles

>

Y

.

Part Number

10560RG-US

RM85

Brochure

Manual

Wiring Diagram

Wiring Schematic

Spare Parts List

.

Optional

DriStorm Dehumidifier Booster Amplifier 20181009 Raises Temp and Lowers
Relative Humidity
Video On Link!

>

Availability: This product was added to our catalog on Wednesday 26 March, 2014

Steambrite Supply