

>



Model Number: 98040670

Clean Storm 98040670, Live Hot Water Hose Reel, 3/8in X 100ft OR 1/4in X 160ft, W/Pinlock 9.804-067.0

Manufacturer: Clean Storm

Clean Storm 98040670 Live Hot Water Hose Reel 3/8in X 100ft OR 1/4in X 160ft W/Pinlock 9.804-067.0

Description

The Pressure Washer Hose Reel comes with 3/8in. inlet and solid brass swivel. Heavy duty steel frame structure and corrosion resistant powder coating. Solid tension brake. Holds up to 100ft. of 3/8in. hose or 160 ft of 1/4" ID hose.

Features

- AP hose reel
- Flared flanges for maximum capacity
- Solid center core for maximum strength
- Rolled beaded edge flanges for maximum safety
- Easy mounting options for maximum versatility
- "Posi-Pin" Lock prevents unwanted de-reeling
- Heavy Duty powder coated steel
- Easy access external swivel
- 4000 psi working pressure
- Rated for 225 degree F
- Includes 3/8" Mip X Fip brass swivel.
- Available with 3/8" and 1/2" swivels

Specification

Manufacturer's Warranty

12 months limited parts / No labor / 90 days on swivel

Ship Weight

12.32 lbs

>

Application
Reel

Max. PSI
4,000

Stores/Maintains Hose (ft.)(in.)
100 ft of 3/8" ID or 160 ft of 1/4" ID

Hose Diameter (in.)
3/8 or 1/4" with bushing

Material
Steel

Hose Included
No

Color
Black

Dimensions L x W x H (in.)
16 x 10 1/2 x 12 3/4

Temperature Range (°F)
140 degree F.

>

Schematics
Cross Reference Skus
386191
4-02755030
727178
87118920
98022690
98040670
X98040670
General Pump D30002
Northern Tool ReelWorks 159187
Steel Eagle K01-5001
BE Pressure 85.402.001
Optional

Pressure Pro Trailer Hose Reel Clamp to Side Rail 20171116

Karcher: Swivel, 3/8in Brass 90 Deg Mxf-4000 Psi - 8.712-460.0 - Legacy
Shark -4-020361

The video below shows this same reel with a 160 ft of 1/4" ID pressure hose installed. I expect you could fit 200 ft of the same hose if you want.

Availability: This product was added to our catalog on Tuesday 03 June, 2014