

>



Model Number: 342002907

Chemspec 342002907 OdorX Tabac-Attack 4/1 Gallon CASE WATER Based pH 5.2 Unsmoke Prorestore A57518

Manufacturer: Chemspec

Chemspec 342002907-1 OdorX Tabac-Attack 1 Gallon WATER Based pH 5.2 Prorestore Unsmoke

WATER BASED ODORx Tabac-Attack™

Remove tobacco odors permanently. Period.

Specifically formulated to neutralize the odors associated with tobacco smoke, Tabac-Attack works at the molecular level to neutralize and permanently deodorize materials affected by tobacco odors. Tabac-Attack can be used on hard or soft surfaces and as a room deodorizer.

Product description

Unsmoke's Tabac Attack WS*1 Gallon* Quick Overview Enter the highly anticipated Unsmoke TABAC-ATTACK product system. Unsmoke's new TABAC-ATTACK products are designed to permanently remove tobacco related smoke odors. The TABAC-ATTACK products deodorize materials and surfaces by reversing the ways by which materials become malodorous. Features: Tobacco odors are caused by a combination of burning tobacco and the accumulation of odorous sticky burnt tobacco related residues on surfaces. Residues from burning tobacco products form odorous coatings on materials that slowly release malodors. These odorous residues build up and accumulate over time having a cumulative affect. heavy smoking over a long period of time results in stubborn and severe tobacco related smoke odor. Tabac

>

Attack instantly counteracts tobacco related smoke odors on surfaces. Tabac Attack provides lasting odor control on treated surfaces.

Specifications Tabac-Attack

Sold in gallons

one gallon (3.8L) bottles

Flash point

147° F | 64° C

Appearance

Clear yellow liquid

pH

5.2

Specific gravity

1.0

Use Instructions

For severe or stubborn tobacco odors, use Tabac-Attack together with Tabac-Attack Thermo-55. Always refer to product label or User Guides for specific instructions.

Suppression spray with Tabac-Attack.

Prepare Tabac-Attack solution according to label instructions. Spray affected materials and surfaces, taking care to avoid drips and streaking. Tabac-Attack may also be added to hard surface and fiber cleaning solutions as needed.

Thermal fogging with Thermo-55 (not this product as this is water based and not the solvent based)

>

Apply Tabac-Attack Thermo-55 using a thermal fogging device (see table below to select the correct device). Refer to product label or User Guide for specific instructions. Be sure to ventilate the treatment area thoroughly before permitting the area to be re-occupied.

For complete instructions and safety data for this product, refer to the User Guide and Material Safety Data Sheet, available under the Documents tab.

Compare to current or past OEM associations:

342002907-1
UPC 847136001101
UP342002907-GRP
342002907

B00LW6RN6U
US-TA-01
A57518
UN-TAB-01

Buy More, \$ave More

ODORx Tabac-Attack User Guide
ODORx Tabac-Attack (L.13047_D) GHS Label
ODORx Tabac-Attack (8-04-2015) SDS US/CA English
ODORx Tabac-Attack (8-10-2015) SDS US/CA French
ODORx Tabac-Attack Product Image
ODORx Tabac-Attack Product Spec Sheet

https://www.sun-beltusa.com/tabac-attack-ws.html?gclid=EAIaIQobChMly9CFqL_d3QIVDI1pCh3-HA8sEAKYASABEgJmkvD_BwE \$29.77
Amazon \$47.48 delivered after 5% off.
Jondon \$29.06
https://www.atexwholesale.com/index.php?main_page=product_info&cPath=34_75&products_id=138 \$23.50

-->

>

Availability: This product was added to our catalog on Tuesday 25 August, 2009

Steambrite Supply