

>



Model Number: 4012-10C

Pressure Pro 4012-10C 4 gpm 4000 psi Honda GX390 Cat Pump HOT Pressure Washer

Manufacturer: Pressure Pro

Pressure Pro 4012-10C 4 gpm 4000 psi Honda GX390 CAT Pump HOT Pressure Washer

## STANDARD FEATURES

Rugged powder coated steel roll cage frame w/ lifting hook & flat-free tires  
Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber

Factory Installed  
Pressure Pro PCA750-4 Replacement Burner Coil for 4-5 Gpm Pressure Washers

Stainless steel coil wrap keeps your machine looking good for years.

Factory Installed  
Pressure Pro Stainless Coil Wrap PCA750-7 Fits Hot Shot Vertical 3.5-4.5 GPM Models

Larger 8 gallon poly diesel fuel tank w/ fuel filter is 100% larger than similar brands.

Factory Installed  
Pressure Pro 8.5 Gallon Diesel Fuel Tank with Cap 520055

Commercial/Industrial grade Honda or Subaru engines

>

Factory Installed  
Honda GX Series V-Twin OHV Engine with Electric Start &mdash; 688cc, 1  
1/8in. x 3.55in. Shaft, Model# c  
or similar

Reliable Beckett burners  
Engine Oil Quick Drain and Change Hose  
High limit over temp protection

Factory Installed  
225 Degree Switch Sensor 1/2" Mip with 3 Wire Leads

Controls water temperature.

Safety pressure relief valve

Giant 5000psi Pop Off Safety Valve 3/8 inch Blue Spring 9.802-191.0

Thermo-sensor (prevents over heating in bypass mode)

Factory Installed  
Thermal Relief Valve 145 Degrees F 3/8" Mip X 1/4" Plastic Barb Control  
Devices Inc

Heavy Duty pressure pump

NOTE: Gasoline Honda and Diesel powered models include electric start, and battery

>

w/ marine battery box. Subaru models are manual recoil start.  
All units are completely factory assembled, tested in the USA, and delivered ready to operate.

## STANDARD ACCESSORIES

Gun/wand assembly with insulated grip and quick connects

Factory Provided  
Pressure Pro AGUD3621290C Washer Lance and Gun Combo 4060 psi  
Insulated Grip 36 in w Couplers

50&prime; high pressure hose w/quick connects

Factory Provided  
Pressure Pro AHS230 Single Wire 50 ft Washer Hose 3/8 In 4000psi With  
Couplers Installed Black

Maxi-Flo 20% chemical injector assembly w/quick connects

Factory Provided  
Pressure Pro ACI005 General Pump 100775 Maxi-Flow Fixed 20%  
Chemical Injector 3-5 gpm

4 color-coded QC spray nozzles

Factory Provided  
Pressure Washing Nozzles, and Repair Parts

>

1 color-coded QC chemical soap injection nozzle

Factory Brochure

Owners Manual

Cleaning Units/Speed: 32,000

.  
[http://pressurewasherpro.myshopify.com/search?q=3012-50G&search-button=\\$2739](http://pressurewasherpro.myshopify.com/search?q=3012-50G&search-button=$2739)

-->

*Availability: This product was added to our catalog on Friday 09 January, 2015*