

>



Model Number: 6012PRO-10G

Pressure PRO Super Skid 6012PRO-10G HOT Washer 5.5gpm 4000psi 20Hp Honda Engine General Pump

Manufacturer: Pressure Pro

Pressure Pro Super Skid 6012PRO-10G 5.5 gpm 4000 psi HOT Honda General Pump 12 volt Burner Pressure Washer  
STANDARD FEATURES

Rugged powder coated steel, low-profile frame w/ fork lift channels  
48" L x 43" W x 48" H frame dimensions offer versatile installation  
Super efficient schedule 80 coil

Factory Installed

Pressure Pro 4425 Replacement Burner Coil for Pro-Superskids w  
PP16HZ Coil 132 ft

Stainless steel coil wrap, burner hood, and control panel  
15 gallon poly diesel and gasoline (excludes GX390 models) fuel tanks  
with fuel filters

Factory Installed

Pressure Pro 15 Gallon Diesel Fuel Tank 520060

Factory installed

Pressure Pro 15 Gallon Plastic Gasoline Fuel Tank IDA000879BR

Reliable Honda & Subaru gasoline Commercial/Industrial electric start  
engines Honda GX630 with electric start 20.8 HP

>

Includes 12 volt battery and marine battery box

Factory Installed  
Pressure Pro 12 Volt Plastic Large Battery Box 9065-1

Fully self-contained, no external power required  
Heavy Duty General TSP1821 Pump

Factory Installed  
General Pump TSP1821 5.5 gpm 5000psi 1450rpm 8.702-789.0

Reliable Bickett Burners

Factory Installed  
Beckett 12 volt ADC VMG505 Burner Assembly W/Ignition Control Board  
8.709-328.0 PRO101

Adjustable thermostat

General Pump 100538 Dial Thermostat 86 - 250 Degrees F. 781999

3VX belt system offers balanced power transfer  
Engine and pump oil drains offer easy maintenance  
Safety pressure relief valve

>

Factory Installed  
Pressure Pro 22533A-4600 5000psi 3/8Mip 6 gpm 140 degree Pressure  
Relief Valve

NOTE: 12V units include 20 amp charging system. 115V units include  
2500 watt generator. All units are completely factory assembled, tested in  
the USA, and delivered ready to operate.

## STANDARD ACCESSORIES

Gun/wand assembly with insulated grip and quick connects

Factory Provided  
Pressure Pro AGUD3621290C Washer Lance and Gun Combo 4060 psi  
Insulated Grip 36 in w Couplers

50&prime; high pressure hose w/quick connects

Factory Provided  
Pressure Pro AHS230 Single Wire 50 ft Washer Hose 3/8 In 4000psi With  
Couplers Installed Black

Maxi-Flo 20% chemical injector assembly w/quick connects

Factory Provided  
Pressure Pro ACI005 General Pump 100775 Maxi-Flow Fixed 20%  
Chemical Injector 3-5 gpm

>

4 color-coded QC spray nozzles

Factory Provided  
Pressure Washing Nozzles, and Repair Parts

1 color-coded QC chemical soap injection nozzle

Factory Brochure of This unit or Similar Model

Owners Manual

Cleaning Units/Speed: 44,000  
Factory Brochure

*Availability: This product was added to our catalog on Friday 16 January, 2015*