

>



Model Number: 6012PRO-30G

Pressure PRO Super Skid 6012PRO-30G HOT Washer 5.5gpm 3500psi 20Hp Subaru Engine General Pump

Manufacturer: Pressure Pro

Pressure Pro Super Skid 6012PRO-30G 5.5 gpm 3500 psi HOT Subaru General Pump 12 volt Burner Pressure Washer
STANDARD FEATURES

Rugged powder coated steel, low-profile frame w/ fork lift channels
48″L x 43″W x 48″H frame dimensions offer versatile installation
Super efficient schedule 80 coil

Factory Installed

Pressure Pro 4425 Replacement Burner Coil for Pro-Superskids w
PP16HZ Coil 132 ft

Stainless steel coil wrap, burner hood, and control panel
15 gallon poly diesel and gasoline (excludes GX390 models) fuel tanks
with fuel filters

Factory Installed

Pressure Pro 15 Gallon Diesel Fuel Tank 520060

Factory installed

Pressure Pro 15 Gallon Plastic Gasoline Fuel Tank IDA000879BR

Reliable Honda & Subaru gasoline Commercial/Industrial electric start
engines Subaru EH650 with electric start (photo shows Honda engine but this

>

model is a Subaru
Includes 12 volt battery and marine battery box

Factory Installed
Pressure Pro 12 Volt Plastic Large Battery Box 9065-1

Fully self-contained, no external power required
Heavy Duty General HP5535 Pump

Factory Installed
General Pump HP5535 3500 psi 5.5 gpm 1450 rpm

Reliable Beckett burners

Factory Installed
Beckett 12 volt ADC VMG505 Burner Assembly W/Ignition Control Board
8.709-328.0 PRO101

Adjustable thermostat

Factory Installed
General Pump 100538 Dial Thermostat 86 - 250 Degrees F. 781999

3VX belt system offers balanced power transfer
Engine and pump oil drains offer easy maintenance
Safety pressure relief valve

>

Factory Installed
Pressure Pro 22533A-4600 5000psi 3/8Mip 6 gpm 140 degree Pressure
Relief Valve

NOTE: 12V units include 20 amp charging system. 115V units include
2500 watt generator. All units are completely factory assembled, tested in
the USA, and delivered ready to operate.

STANDARD ACCESSORIES

Gun/wand assembly with insulated grip and quick connects

Factory Provided
Pressure Pro AGUD3621290C Washer Lance and Gun Combo 4060 psi
Insulated Grip 36 in w Couplers

50' prime; high pressure hose w/quick connects

Factory Provided
Pressure Pro AHS230 Single Wire 50 ft Washer Hose 3/8 In 4000psi With
Couplers Installed Black

Maxi-Flo 20% chemical injector assembly w/quick connects

Factory Provided
Pressure Pro ACI005 General Pump 100775 Maxi-Flow Fixed 20%

>

Chemical Injector 3-5 gpm

4 color-coded QC spray nozzles

Factory Provided
Pressure Washing Nozzles, and Repair Parts

1 color-coded QC chemical soap injection nozzle

Factory Brochure of This unit or Similar Model

Owners Manual

Cleaning Units/Speed: 38,500
Factory Brochure of similar model

Availability: This product was added to our catalog on Friday 16 January, 2015