

>



Model Number: 8000D

Steamjet 8000D, Dual Hose Vapor Auto Detail Machine Freight Included, Jet Steam Jet

Manufacturer: SteamJet Inc

Steamjet 8000D Dual Hose Vapor Steam Auto Detail Machine with Built in Wax Injection!

Dual wand auto care system lets two people clean the car at the same time!

Benefits

Quickly, easily removes dirt, stains & grease

Applies jet wax for a better finish!

Reduce water & chemical consumption

Clean hard to reach nooks & crannies

Eliminate waste-water & overspray

Two operators can clean at once!

Deodorize & sterilize surfaces

Easy to maintain & operate

Continuous, on-demand steam

Quiet & low exhaust output

Low operational cost.

Applies UV protectant and protects against resoiling and adhesion of dust particles!

One chemical for both inside and outside of car.

Cleaning process is Non-Toxic, Non-flammable, Non-corrosive, and Biodegradable while saving water.

Cleaning Applications

Wash cars, trucks, motorcycles, boats, golf carts, small planes, machinery & many other surfaces

Remove bacteria, yeast, molds & fungi

Sanitize equipment used for food & beverage

Safe & effective for cleaning park & recreational equipment

Great for property management services, military equipment, graffiti removal, weed removal and so much more!

Optional vacuum recovery tools allow for work on fabric, seats, carpet, mats, more...

>

Please use distilled water, soft water, or deionized water for less mineral build up. Regular water can be used if you descale the machine regularly.

Runs on 120 volts at less than 5 amps, you add the water, the fuel (diesel or kerosene), and the jet wax.

Optional

One chemical for both the inside and outside of the car!

Inner Beauty Car Dressing and Vapor Assist Gallon Harvard HCR

Clean Storm Microfiber Vapor Polishing and Cleaning Mitt with 10 Surfaces - Flip and Go Case of 12
Easy to hold on to.
Instantly flip to a new surface and keep on cleaning
Use over and over again - washable

>

Link Manufacturing Ramps: LB10 Series Bifold Ramp 24x54

Shazaam: Descaler System Maintainer - Food Grade 1 Gallon SBM5000
Removes water spots
Descales the heating system
Required monthly when conditioned water is not used.
Required every 6 month when conditioned water is used.

HCR: Tire Beauty Tire Shine Gallons

Extended Warranties for Equipment Valued up to 7499.99 Available Warranty

Designed for commercial equipment used by professionals

Dimensions: 19.7" W X 35.4" L X 30.7 H
Dry Weight: 203 lbs (team lift or use a ramp)
Fresh Water Tank: 5.2 gallons
Jet Wax Tank: 1/2 gallon
Hose Length: 32.8 feet X 2 units

>

Power Consumption: 110 Volts @ 5 amps Start / 2 amps run
Fuel Type: Diesel or Kerosene (no need to empty tank to switch from one fuel to the other, just add on top of last fill)
Fuel Consumption: 1.18 oz per min (average large super dirty car 5 minutes = 5.9 oz / 0.046 gallons)
Warm Up Time: 1 minute
Steam Pressure: 116 psi (pounds per square inch)
Water consumption: 16 oz to 30.4 per minute (adjustable with 4 step control knob)
Automatic Wax Injection and Mixing Device with ON/ OFF Switch
Over Temperature Alarm and Safety Device: 608 degrees F
Over Pressurized Safety: 203 psi
Safety Fuse: 15 amps
Exterior Material: 304 grade Stainless Steel

Operational cost formulas for 5 minutes (average car 2.5 minutes):

If you purchase distilled water at Target, current cost is \$.65 per gallon. With the 8000D turn up all the way you will use 152 oz in 5 minutes
Total Water cost \$.77 (if you make your own distilled, soft, or DI water this could be reduced.)

Fuel cost: .23 gallons for 5 minutes X 3.50 per gallon = \$.81

Chemical cost: Inner Beauty cost \$28.50 per gallon and 5 minutes will inject 1.52 oz (1 to 100 ratio) \$.223 per oz, so, 1.52 oz cost = \$.34

Water .77 + Fuel .81 + Jet wax .34 = \$1.92

Naturally this means an average 2.5 min car wash cost only \$.81

Some customer like to further reduce the chemical to 1 oz to gallon or a 1 to 128 ratio

One year factory parts warranty excludes shipping, labor, and maintenance for the first year. Optional on site, parts and labor extended warranty starts when the factory warranty stops.

Do not allow to freeze as this will cause substantial damage to your equipment.

Prevent freeze damage by draining machine and place a small electric space heater on the lowest setting inside your van or trailer.

Do not use with the machine indoors.

Free shipping is only to forklift locations in the lower 48 states. Customer responsible for all other fees.

If you pay with a credit card, we only ship to the bill to address associated with that credit card.

If you want to use a hold at dock for pick up, you will have to add that location to your credit card address profile by calling your bank first.

>

Availability: This product was added to our catalog on Wednesday 25 November, 2015

Steambrite Supply