

>



Model Number: 4033450

ThermaStor Phoenix Compact 20 Heater Fire Bird 4033450 FREIGHT INCLUDED AC300 Quest EHS 20 Pro 4033330

Manufacturer: Therma-Stor

ThermaStor Phoenix Compact 20 Heater 4033450

Our electric powered heat generation system is a safe, 100% UL certified, system that is both effective and easy to operate. We designed the system to be light-weight, user-friendly, durable and convenient. Our goal is to provide PCO's with the right tool to eradicate bed bugs effectively the first time.

Proven Technology:

Our company has over 30 years of experience in manufacturing professional-grade equipment.

Safety:

Unlike some competitive 460 volt systems, Quest engineers have taken every necessary step to ensure maximum safety for the Pest Control Professional, the property owner and the environment. Our equipment is 100% UL certified, designed to run on lower voltage (240 volts), while still achieving maximum performance on the jobsite.

Cost of Ownership:

Our electric system offers an economical way to enter the bed bug market. Start your system inexpensively, with two heating units and 4-5 air movers. Add equipment as profits and the demand for your bed bug service increase.

The Right Tool for the Job:

Quest equipment is designed and manufactured in the U.S.A. from top quality materials with the goal of creating a light-weight, durable, flexible, and effective equipment that can get the job done even when other systems cannot.

Phoenix FireBird Compact 20 Heater

Compact, Lightweight, Powerful, and Safe

Phoenix has added another HOT option to its electric heat product offering the

>

FireBird Compact 20. The FireBird Compact 20 can provide up to 20,000 BTUs of instant heat and, with its 13" Prime; x 12.5" Prime; x 26" Prime; durable stainless steel cabinet, can operate virtually anywhere on the job site that heat is needed to speed up the drying process.

The FireBird Compact 20 portable electric heat drying system features multiple power receptacles for connection to common 120VAC outlets. The Compact 20 can output up to 20,000 BTUs of clean, safe heat at 250 CFM. The Compact 20s remote thermostat, which is included with the unit, provides a means to control the temperature in the drying chamber, while its internal temperature cutout ensures safe operation.

At maximum heat (4-12 Amp Circuits @ 5,000 BTUs each), the FireBird produces 20,000 BTUs that's 250 CFM with a 70°F temperature rise. Internal temperature cutouts prevent the FireBird Compact 20 from overheating an area, while the Compact 20s remote thermostat kit provides a means to control the heat from anywhere in the drying space.

OWNERS Manual

Up to 20,000 BTUs

250 CFM

Up to 70°F heat rise over ambient

Lightweight design: only 35 lbs

Uses 1-4 15-amp 115V circuits

Optional 8" ducting

- Current or past OEM Associations:
- Model: 4033450
- PH-FIRBRD20-EA
- AC300
- Xactimate Code: WRT HTAM
- THE4033450
- Quest EHS 20 Pro
- Quest 4033330

Quest Power Electric Heat EHS 20 Pro

EHS 20 SPECIFICATIONS

Part No.
4033330

Power
12 Amps,

>

120 V

Max BTU
20,000 BTUs

Max Temp Rise
95°F Temp Rise

Airflow
250 CFM

W x H x D
13" x 12.5" x 26"

Weight
35 Lbs.

Optional

Clean Storm Restoration Spider Box Starter Package 4 Head 230 volt to 4
& gang 5-20R GFCI with Breakers 20151104

Clean Storm CSF382 8 inch X 15 ft Ducting for use with DefendAir Hepa 500
& EB1400 and Explosion Proof Air Movers SVH15 Ventilation Hose Kit

[http://www.proddrying.com/phoenix-firebird-compact-electric-heat-drying-system-p-74.
html](http://www.proddrying.com/phoenix-firebird-compact-electric-heat-drying-system-p-74.html)
\$1999

>

-->

20160620djc

Availability: This product was added to our catalog on Monday 20 June, 2016