

>



Model Number: TRHDCV4560HG

TRHDCV4560HG Pressure Pro GP Pressure Washer Tow-Pro Trailer Outfit 6000 PSI 4.5 GPM

Freight Included

Manufacturer: Pressure Pro

The Pressure Pro TRHDCV4560HG

Heavy Duty Commercial Grade Tow Pro Pressure Pro Trailer Pressure Washer is a GX690 Honda Powered 6000 PSI / 4.5 GPM pressure washer with a General V-Belt Drive Pump.

27,000 cleaning units / speed

Note: Trailers are self-contained and do not require an outside power source.

Factory Installed

General Pump Tsp1621 66 Series High Pressure 5800 psi 4.3 gpm 1450 rpm
8.702-788.0

Comes complete with the following accessories:

2 x 250' high pressure hose reels

Factory Installed

Pressure Pro M10-5 Hose Tract Reel 250 ft x 3/8 4000 psi w/ 1/2 inch
swivel

2 units included in this package

Chemical resistant coating

200 gallon water tank & Poly tool box

Factory Installed

Pressure Pro 200 Gallon Freshwater Tank TNK200

>

Lights, jack with wheel, & safety chains
HD trailer (forkliftable) 3500 pounds capacity axle, 135' L x 82' W x 60' H
Aluminum fenders, 15' wheels/tires, external grease fittings.

Pressure Pro Tow Pro Heavy-Duty Commercial Trailer Pressure Washer Series
Standard Features:

Rugged powder coated steel frame
Fully tested and assembled in the USA
On board 12 gallon poly fuel tank-Non Carb Evaporative Compliant

Factory Installed
Pressure Pro 12 Gallon Plastic Gasoline Fuel Tank IDA000879BR
or similar

Full sized battery with marine battery box
Commercial/Industrial gasoline engines

Factory Installed
Honda GX 688cc Series V-Twin OHV Engine Electric Start 1-1/8in x 3.55in
Shaft Model #GX690RHTAF
or similar

Engine and pump oil drains offer easy maintenance

Factory Installed
Pressure Pro Engine Oil Drain Assembly Hose kit Honda GX630, GX660,
GX690 (New Style) AOD016
or similar

V-Belt drive

>

Adjustable pressure unloader

Factory Installed

AR VRT3-310 Unloader 8 Gpm Black Spring Top 4500 Psi - 8.750-299.0
or similar

Available Options (Please contact for custom quote):

KCT025 – 25 Gallon Chemical Tank \$199.00

Factory Installed

Pressure Pro KCT025 Freshwater and Cleaning Chemical Tank 25 Gallons
98350

Used to carry and transfer degreaser, house wash, and other presprays.

KTF200 – Float valve kit \$149

Factory Installed near top of fresh water tank.

Pressure Pro YFLOATVALVE Water Box Float 3/8 INCH Mip 145 psi

Or similar

Prevents 200 gallon freshwater tank overflow

KAV001-I – Air blowout valve/winterizing kit \$29.99: Use your shop air
compressor to blow out water from your system to help prevent winter freeze
damage.

LWS100 – Low water shut-down \$299

Factory Installed near the bottom of the freshwater tank.

>

Pressure Pro LWS100 Low Water Shutdown Tank Switch JRA-74-7113
Prevents water pump damage when fresh water tank is low.
Tricks engine oil switch to think the engine ran out of oil so the pressure washer turns off.

Chemical Injector Assembly

Pressure Pro ACI005 General Pump 100775 Maxi-Flow Fixed 20%
Chemical Injector 3-5 gpm Assembly

Factory Installed Jetter Valve Kit

Example:

General Pump 100071 Jetting Valve For T, TS Series 47 (TSS1511 and TSS1021 Pumps Only)
Activated lever pushes on pressure valve in pump head to leave open and causes the water to pulsate to improve cleaning of hard to remove sewer and pipe cleaning deposits.
Requires drilled and threaded pipe taped pump cap.

TRL-BRK & Electric brakes installation \$899
TRL-BBAK & Electric brakes & breakaway installation \$999
TLK100 & Trailer leveling kit \$189
P9000S & Extra Spare Wheel/Tire fits all Tow Pressure Pro Trailers \$289
CCK015 & On Board 12 Gallon Poly Fuel Tank with Carbon Canister
(Required California Compliant Upgrade) \$149
In order to receive this trailer, you will need forklift extensions!

Available Hose Options:

AHS235 & 3/8" x 100', black hose with Quick Connects, Max. 4000 PSI

>

Pressure Pro AHS235 Pressure Washer 1 Wire Hose 100 ft X 3/8 ID 4200
psi with QC Assembly

AHS240 ‐ 3/8″ x 150′;, black hose with Quick Connects, Max.
4000 PSI

Pressure Pro AHS240 Pressure Washer 1 Wire Hose 150 ft X 3/8 ID 4200
psi with QC Assembly

AHS245 ‐ 3/8″ x 200′;, black hose with Quick Connects, Max.
4000 PSI

Pressure Pro AHS245 ‐ 3/8 ID x 200′; Black Hose with Quick
Connects Max. 4000 PSI psi Assembly 1 Wire

AHS285 ‐ 3/8″ x 100′;, gray hose with Quick Connects, Max.
4000 PSI

Pressure Pro AHS285 ‐ 3/8 ID x 100′;, Gray hose with Quick
Connects, Max. 4000 PSI 1 Wire

AHS290 ‐ 3/8″ x 150′;, gray hose with Quick Connects, Max.
4000 PSI

Pressure Pro AHS290 ‐ 3/8 ID x 150′;, gray hose with Quick

>

Connects, Max. 4000 PSI 1 Wire

AHS295 ‐ 3/8″ x 200′, gray hose with Quick Connects, Max. 4000 PSI

Pressure Pro AHS295 ‐ 3/8″ x 200′, gray hose with Quick Connects, Max. 4000 PSI 1 Wire

988VR-100 ‐ 3/4″ x 100′, black HD garden hose, Max. 400 PSI

Pressure Pro Apex 988VR-100 ‐ 3/4 ID x 100′, black HD garden hose, Max. 400 PSI for Commercial Use

Vacuum Recovery Options

-DriStorm Goliath Heavy Duty Flood Pumper 26gal Quad 2 Stage Vacs 30
amp Pressure Washer Recovery Package 20160625
Self install on the tongue of your trailer for 200 ft of vacuum recovery!
Produces 42,500 vacuum units.

-DriStorm Goliath 6.6 Flood Pumper 26gal Quad 6.6 Vacs Strongest Pressure
Washer Recovery Package 20151024
Self install on the tongue of the trailer for 350 ft of vacuum recovery!
Produces 73,100 vacuum units.

>

Availability: This product was added to our catalog on Tuesday 28 June, 2016