

>



Model Number: Reverse10-20R

Clean Storm Reverse10-20R Power Joiner Step Up Inverter Electric AC Converts Dual 20 amp 115 Volt To allow 230 Volt 3 wire

Manufacturer: Clean Storm

Power Cord Adapter Inverter (Reverse Converter) Takes two 115 volt outlets and allows you to use 230 volt appliances that uses under 20 amp @ 230 volts (4600 watts) Single phase current to NEMA 10-20R receptacle. Commonly used as an electric wall unit air conditioner. Fast and easy 240 volts. This part number we use the outlet below!

Other 220 to 240 volt receptacles available including but not limited to: NEMA 6-30R, NEMA 6-50R, NEMA 10-30R, more

Works with Duosida and Jekayla, Level 2 Electric Vehicle Charger by ReadyCharge for faster charging speeds. Compatible with Chevy Volt, Ford Energi, Toyota Prius, and Ford Evo. Perfect for electric cars (BEV), pressure washers, welders, plasma cutters, vapor steam cleaners, wall air conditioners and other high powered equipment when 230 volt plugs are just not available. Tesla (BEV) car owners historically have purchased the 14-30R or 14-50R model wall AC units use the 6-20R

Not for use on GFCI or LDCI 115 volt Outlets or for use in the rain.

To use simply plug into different standard 120 volt wall outlets and push the momentary button to test voltage. If the green light turns on, you are good to go. Not all outlet combinations will produce the correct voltage so you have to test before each use or each time you take your box to a new location. If you push the voltage test button and the green light does not turn on, simply re-located one of the power cords to a different location and retest. Every job site location has the ability to provide 230 volts. If you use 15 amp 115 v to 120 volt circuits then you will only be able to operate 15 amp 230 volt equipment. If your pressure washer needs 23 amps @ 230 volts and you are plugged into 20 amp 115 volt outlets, you will need to turn the pressure down to lower the amp draw. Just turn the pressure regulator / unloader knob counter clockwise. The less pressure, the less horse power is needed to turn the electric motor and this will lower the amp draw.

>

Plastic Box is 6" X 6" X 4"

Dual 12-3 X 25 ft power cords with dual 20 amp push breakers.

Green Light Voltage Notification

Rubber feet on bottom of box or hang on the wall.

Until both 120 volt power cords are connected to a 120 volt electrical source, it is electrically isolated from the electrical circuit of the exposed male plug on the 2nd power cord. This protects the user from accidental shock through the exposed male plug contact.

You must test both wall outlets with a receptacle polarity tester before use!

20100823

Electrical Outlet Receptacle Tester 3 wire 120 volt

Note: User assumes all responsibility on use. It is the users responsibility to check the inbound voltage, outbound voltage, and total amp draw to verify these are not going to be overloaded. The user agrees to test the amp draw of any appliance or machine that they plug into these converters to ensure they are not being overloaded. Meters are cheap and mistakes are expensive. You can purchase a meter at <https://www.steam-brite.com/voltage-meter-multitester-p-6259.html>

User agrees to hold Steam Brite, its employees, and agents harmless in the event of any use of said use of converter. The user agrees to not hold SteamBrite and all employee against any problems that arise out of the use of said converters/ inverters. Remember, just because it plugs in does not mean it is OK to use!

Please remember the 80/20 electrical rule. If you are going to plug into a 15 amp outlet and draw long term the device needs to be under 80% of 15 amps = 12 amps max.

If I plug into dual 20 amp breakers long term then the 80/20 rules math is 20 amps X 80% = 16 amps max.

Manufacture 90 day warranty. Add optional 2 or 4 more years for a little more.  
Owners Manual

>

---

*Availability: This product was added to our catalog on Wednesday 30 August, 2017*

