

>



Model Number: 20180323

Carpet Cleaners Tile Cleaning Pump and Spinner Starter 356U-220/M44 [20180323]

Manufacturer: Pumptec

Carpet Cleaners Tile Cleaning Pump and Spinner Starter 356U-220/M44 [20180323]

Includes the following items:

Typhoon 12in Spinner Tile Wand with Vacuum Air Water Recovery  
Surface Cleaner SBM12HD HF-01 AW42

PumpTec 80346 Water Otter 1200 psi Basic Starter Package Pressure  
Washer Pump For Tile Carpet Cleaning AS1200 Shock Wave [20170606] 360U

Turn any portable extractor into an incredible tile and grout machine with the Water Otter!

The worlds #1 best selling carpet and tile cleaning pump. This is the same pump installed under the hood of 90% of the tile cleaning machines on the market today. By hooking your pressure hose to the Water Otter instead of your portable extractor, you'll get 1200 psi of raw power to blast grout lines clean! Now you just need to hook your vac hose to your portable extractor, and put on a good tile and grout tool (SX-12 or Gekko come to mind) and you're ready to clean tile with the best! Clean at 500 psi for carpet cleaning or turn it down to 200 psi for upholstery cleaning.

>

PumpTec: AS1200 Water Otter 1200 psi Pressure washer pump and  
tile and carpet cleaning pump

Includes one Dealer supplied

Faucet Adapter 13/16s to Garden Hose Connection

>

Includes one dealer supplied

Clean Storm Auto Fill Hose 6 ft By 1/2 Inch ID with 90 degree Fitting  
for Hot water Garden Hose

Includes one dealer supplied

Shower Head Hot Water Hook Up Kit SBM1834

Optional

Clean Storm Automatic Fill Kit for Carpet and Tile Cleaning Machines

- \* Commercial Duty
- \* American-Made Pump and Motor
- \* 1,000 - 1,200 psi, 2.2 GPM at Nozzle Tip (turn down pressure if you like to as low as 200 psi)
- \* 14.3 Amp High Efficiency Motor
- \* Maintenance-Free 1,200 psi Pump
- \* 1,000 Hour Continuous, Full Load Rated
- \* Simple Repair, Low Cost Parts

>

- \* Each Component The Best Available
- \* GFCI with 35' Cord (120 volt versions only)
- \* Female Garden Hose Inlet
- \* 1/4 Female Quick Connect Outlet
- \* Max Water Temperature 140 degrees
- \* 120 Volt, 8 to 15 amps (depending on pressure), 240 volt version is this amp draw cut in half.

fitted with an m44 motor, this is the motor used for a hard surface pumping system that is outside the extractor case.  
Does come with a pressure gauge.  
Out of box measurements 14" X 11" 11" H  
Shipping wt: 50#s  
Shipping dimensions: 20" X 16" X 15"  
Amp draw is 7.5 amps to turn on + 1 amp for each 200 psi you ask it to push.  
Example 500 psi uses 10 amps @ 120 volts

Current or past OEM Associations:  
CWS-HDS1200  
80346  
20-0640  
AS1200  
Cross American Shock-Wave

Pressure washer motor information below:

Parts list

Brochure

Start Up Procedures

PumpTec Warranty Info .Options:  
Add an extended Warranty to your cleaning equipment;  
<https://www.steam-brite.com/extended-warranties-equipment-valued-749999-available-p-10663.html>

717510409055

>



>

## Four (4) Way Faucet Key J40-005

Note Pumptec Dealers do not receive the faucet adapter, connection hose, or free sipping. Just the pump at dealer prices + shipping

Compare to other tile and carpet cleaning pump systems:

<https://www.steam-bright.net/showthread.php?2048-Tile-cleaning-pump-options-to-add-to-my-flood-pumper-or-carpet-cleaning-machine&highlight=tile+cleaning+pump>

Rotovac \$795

used to be \$685.78 our of CO

<https://www.ebay.com/itm/TILE-and-GROUT-Pumptec-1200-PSI-PUMP-80346-Carpet-Cleaning-/231884068034?hash=item35fd5e14c2:g:VdIAOSw5cNYIVbz> \$799 + 37 shipping

-->

Optional

Clean Storm Grout Master Cleaning Tool 300psi - 1200 psi 20190919 Wand

For the first time in history, pressure wash tile and grout with a standard 500 psi portable carpet cleaning machine.

No high pressure pump required.

Watch Video On Link!

20160605

*Availability: This product was added to our catalog on Friday 23 March, 2018*