

>



Model Number: PA-ZT720-3016

Kohler PA-ZT720-3016 Kohler Confidant Vertical Engine 725cc with Recoil Start Item 51556

PA-ZT720-3027 GTIN N/A

Manufacturer: Kohler

Kohler PA-ZT720-3016 Kohler Confidant Vertical Engine &mdash; 725cc with Recoil Start item 51556

? does not include wire harness jumper if you need mounting bolts use 02-301 self tap bolt -- NEW LOWER PRICING

725cc, 21 HP engine with 1in.dia. x 3.16in.L shaft  
Electronic ignition system  
10in. mounting bolt pattern  
Ideal for wide area walk-behind, stand-on and commercial mowers  
Consistent-Cut&trade; technology provides more consistent power to your deck

## Product Summary

This Kohler Confidant&reg; 725cc Vertical Engine with recoil start is ideal for wide area walk-behind, stand-on, and commercial mowers. Features a 15 Amp unregulated charging system and electronic ignition.

## Features + Benefits

725cc, 21 HP engine with 1in.dia. x 3.16in.L shaft  
Electronic ignition system  
10in. mounting bolt pattern  
Ideal for wide area walk-behind, stand-on and commercial mowers  
Consistent-Cut&trade; technology provides more consistent power to your deck  
High-torque inertia drive starter with extra-large output for quick, reliable starting

Chopper grass screen guard prevents grass and debris packing  
Dual-seal, heavy-duty cyclonic air filter protects the engine  
Cast iron cylinder bores offer protection under dirty conditions  
Pressure lubrication extends engine life  
Oil Sentry low oil shutdown system

## Key Specs

>

Air Cleaner Type  
Cyclonic air filter w/Quad Clean

Fuel Type  
Gasoline

Fuel Pump  
Pulse type

Fuel Filter  
Pro performance (9-12 micron)

Oil Capacity (qt.)  
2

Lubrication System  
Pressure lubrication with full flow

Low Oil Alert  
Yes

Low Oil Shutdown  
Oil Sentry

Ignition System  
Electronic

Governor System  
Mechanical

Carburetor  
Smart choke

Throttle Control  
Remote

>

Choke Control  
Remote

Max. RPM  
3,600

Charging System Amps  
15 unregulated

Muffler Included  
Optional

Auto Compression Release  
Yes

Bolt Circle (in.)  
10


Mounting Base L x W (in.)  
10 D.B.C.; 4 cored holes (for OEM self tap)

Mounting Bolt Pattern L x W (in.)  
10

Dimensions L x W x H (in.)  
18 4/5 x 17 1/2 x 17

EPA/CARB Approval (California Air  
Optional

Kohler 32 786 05-S Muffler Starter Side Discharge Vertical  
Mount For ZT720 and ZT740 Engines



Kohler 32 786 04-S Muffler Oil Filter Side Discharge Horizontal  
Mount For ZT720 and ZT740 Engines

Kohler 32 786 03-S Muffler Kit Oil Filter Dist Discharge Vertical  
Mount for ZT720 and ZT740 Engines

Resource Board)

Yes

Item#  
51556

Brand  
Kohler Engines

>

Manufacturer's Warranty  
3 Yr Consumer Limited

Ship Weight  
95.0 lbs

Engine Displacement (cc)  
725

Start Type  
Recoil

Application  
Walk-behind, stand-on, commercial mower

Engine Type  
Vertical

Torque (ft./lbs.)  
40.7 (55.2 Nm) at 3,600 RPM

Displacement (cu. in.)  
725

Shaft Output  
CCW

Crankshaft  
Hardened

Shaft Diameter (in.)  
1

Shaft Length (in.)  
3.16

Shaft Keyway (in.)

>

7/16-20

Shaft End Tapped (Diameter (in.)/Threads per inch)  
7/16-20

Shaft Rotation (From PTO Shaft Side)  
CCW

Bearing Type  
Parent material

Cylinders (qty.)  
2

Cylinder Bore  
Cast iron cylinder sleeve

Bore x Stroke (in.)  
3.3 x 2.6

Compression Ratio  
9.1:1

Cooling System  
Air

---

*Availability: This product was added to our catalog on Sunday 03 March, 2019*