

>



Model Number: PA-CH640-3205

Kohler 20hp Command Pro Horizontal Engine Electric Start 1-1/8in x 4in Shaft PA-CH640-3230  
PA-CH640-3205 GTIN N/A

Manufacturer: Kohler

Kohler 20hp Command Pro Horizontal Engine Electric Start 1-1/8in x 4in Shaft  
PA-64503-60208 (new part #PA-CH640-3205)

## Overview

Kohler 20 HP Command V-Twin Horizontal Engine. This gasoline-driven, 4-cycle, 20 HP engine has reliable features, including: OHV, cast iron V-Twin cylinder liners, and aluminum block construction. U.S.A.

Replaced with PA-C640-3205

PA-64503-60208

CH640-3140 SteamWay

Kohler 20Hp Command Basic V-Twin Engine Electric Start CH20S CH640-3205

supersedes CH640-3004, CH20S-64503 20 HP

CH640-3205 supersedes CH640-3004, CH20S-64503 20 HP W/PANEL 1-1/8

LWVAC

Item# 28065

Crankshaft 24 014 345

1.125" diameter

4" Long

20.5 Hp

Flat Air cleaner

Dipstick 24 038 10

Wire Harness 24 176 163

EFI Jumper 24 176 160-S

Replaces:

Features + Benefits

- Kohler 20 HP Command V-Twin 4-cycle, horizontal engine
- Cast iron sleeve
- Oil Sentry®;
- Key switch
- Choke
- Throttle controls

>

What's Included

- (1) Engine
- Key Specs

Engine Displacement (cc)

640

Start Type

Electric

Engine Type

Command Pro V-Twin - CH20 - OHV

Rated Power (HP)

20

Torque (ft./lbs.)

32.7

Displacement (cu. in.)

39.1

Shaft Output

Horizontal

>

Shaft Diameter (in.)

1 1/8

Shaft Length (in.)

4

Shaft End Tapped (Diameter (in.)/Threads per inch)

5/8 - 18

Shaft Rotation (From PTO Shaft Side)

Counterclockwise

Cylinders (qty.)

2

Cylinder Bore

Cast iron

Bore x Stroke (in.)

3.03 x 2.64

Compression Ratio

8.5:1

>

Cooling System

Air cooled

Air Cleaner Type

Dual element air filter with foam pre-cleaner

Fuel Tank

Not included

Fuel Type

Gasoline

Fuel Pump

Mechanical

Fuel Filter

In line

Oil Capacity (qt.)

2

Lubrication System

Full pressure

Ignition System

>

Electronic

Carburetor

Smart Choke

Max. RPM

3,600

Charging System Amps

15

Auto Compression Release

Yes

Bolt Circle (in.)

5 5/8, 7, 7 3/4

Mounting Base L x W (in.)

7 1/4 x 3 1/2

Dimensions L x W x H (in.)

14 x 17 11/16 x 19

EPA/CARB Approval (California Air Resource Board)

Yes

>

## Manufacturer Warranty

24 months parts / 24 months labor

## Ship Weight

106.0 lbs

## Item#

60208

Manufacturer Warranty: 24 months parts / 24 months labor

[https://www.youtube.com/v/N0vdq\\_LP9vw?hl=en&fs=1](https://www.youtube.com/v/N0vdq_LP9vw?hl=en&fs=1)  
type="application/x-shockwave-flash" allowscriptaccess="always"  
allowfullscreen="true" width="425" height="344">  
2012 Mosmatic Updated movie:

Question: What is the recommended jet size for a Cold unit 3000 psi @ 5 gpm?  
Answer: 2503 1/8meg's depending on his surface. If cleaning something  
fragile I might go with a 4003 or just turn the pressure a bit.

pressure-washer-parts.com \$1545  
<https://pwpartsstore.com/80658-MOSMATIC-DR-520-ROOF-CLEANER-6914.htm>  
\$1264  
<https://www.pressurewasherstuff.com/mosmatic-dr-520-roof-cleaner-80-658.html>  
\$1182  
<https://www.higherpowersupplies.com/MC-80658.html> \$1129 free shipping  
--> 20140113dj

Availability: This product was added to our catalog on Tuesday 18 January, 2011