

>



Model Number: 967648606

Husqvarna PG 450 Floor Concrete Grinder 2Hp 120V Diamond segments and 967648606 [967648608] PG450 19Inch

Manufacturer: Husqvarna Equipment

Husqvarna PG 450 Floor and Concrete Grinder 2Hp 120V, Diamond Segments And Freight Included 967648608

PG 450 is a versatile and user-friendly planetary floor and concrete grinder. Perfect for a wide range of applications, e.g. coating removal, concrete grinding and concrete polishing.

It is also suitable to use to make Husqvarna HiPERFLOOR®.

With its 18 in. grinding width it is excellent for both small hard to get to areas, as well as larger surfaces.

It is ideal for rental and both professional and semi-professional applications due to its many self-adjusting benefits.

1-phase means it is suitable for industrial and domestic applications.

It can easily be folded and divided without tools for transport and storage.

Factory Installed NEMA 5-20 Plug

The PG 450 come in two versions.

A light duty 120 volt 2 HP 19 amp / 2280 Watt version and the heavy Optional Heavy duty 3 hp 240 volt 13 amp / 3120 Watt version.

**\*\*This webpage is for the light duty 2 hp 120 volt version\*\***

Way easier to plug in two power cords at 13 amps with the Heavy Duty 3 horse power version than a single power cord at 19 amps.

Please note that every building has 15 amp breakers, and not every build has 20 amp breakers.

The 120 volt version gear reduction motors turns 33.5% slower than the 240 volt version.

So this version grinds a third slower while more apt to trip breakers.

Universal 2" vacuum hose connection.

Factory power cord is 1 foot long.

Bundle Includes:

Husqvarna PG 450 Floor Concrete Grinder 3Hp 230V Freight Included 1Yr Warranty [967648605] Price Match PG450

>

SteamBrite Exclusive / Only included with the PG 450 when purchased from this web page.

Husqvarna G670 Gold 18 PCS Diamond Vari-Grinding Segments 20-100 Grit  
Hard 90316485 Silver Performance Redi Lock

Floor Grinder PG 450 110 Volt 1 Phase 60 Hz 96 76 48608

Grinding Width  
17.7 Inches  
Notes

Rated Input Power  
2 Hp

Phases  
1 Ph

120 volt  
19 amp

Vacuum Hose Connection  
2 Inch OD  
250+ CFM Needed

Machine Width  
19 Inches

Machine Height  
45 Inches Assembled

Use Weight  
240.3 lbs

>

Lowest Grinding Disc Speed  
0 Rpm

Max Grinding Disc Speed  
575 Rpm

Direction of Rotation  
Clockwise

Number of Grinding Disc  
3

Power Plug Type  
NEMA 5-20P

Shipping Size

Shipping Weight  
302 lbs

2018 Schematics

2014 Schematics

2015 Owner Manual and Warranty Statement

Compare to current or past OEM associations:  
PG450  
PG 450  
967648606

>

96 76 48606  
PG450-1  
HUS-PG450  
97 27 81-05  
967648608  
96 764 86-08  
967648605

Customer is responsible for all shipping surcharges, including but not limited to, limited access fee (home delivery), lift gate service to lower to the street, inside delivery (roll pallet onto driveway), call for an appointment fee, missed delivery/ re-delivery fee, fuel surcharges, etc...

Please make sure you check out correctly to prevent order delays. Please note that trucking companies charge limited access fee to all location other than in town, commercial location with rows of warehouses that have loading docks lined up and parking lots that can turn around in.

Optional

Clean Storm HEPA Concrete Grinder Dust Slurry Extractor Collector Triple  
Vacuum Motors 5 Stage Filter System Wet/Dry Shop Vac 335CFM 20230111  
Video On Link!

Clean Storm HEPA Concrete Grinder Dust Slurry Extractor Collector Triple  
Vacuum Motors 5 Stage Filter System Wet/Dry Shop Vac 288 CFM 20221228

>

*Availability: This product was added to our catalog on Friday 18 December, 2020*

Steambrite Supply