

>



Model Number: DC 3300

Husqvarna 965196016 DC 3300 Dust and Slurry Collector 3IN Hose 4HP 240V 1 Phase Freight Included DC3300 GTIN NA

Manufacturer: Husqvarna Equipment

Husqvarna DC 3300 Dust Collector 3 Inch ID Hose 4 HP 240 Volt 1 Phase

DC 3300 is a 1-phase dust collector for wet and dry applications. It has the suction capacity and filtration technology for the toughest jobs, effectively and efficiently eliminating airborne dust.

Recommended for Husqvarna PG 530 1-phase.

Can operate on 240 volt single phase or dual standard wall outlets with the optional power supply below.

Compare to current or past OEM associations:
965196015

965196016

DC 3300
DC3300
B01J5UXG74
75-635

Features

Dust collectors with primary and secondary filter housing for efficient containment of dust

Compact and quiet vacuum units for both wet and dry applications

Suction capacity and filtration technology for even the toughest jobs, effectively eliminating airborne dust

The particle filtration rate is 99.9 % at 1 micron

Robust machine with comprehensively tried and tested 3x1100 W motors

Three stage filtration mechanism maximum protection for vacuum motors

Electronic vibrator system for cleaning of filters

Unique bag disposal system for containment of messy and hazardous substances

Quiet in operation and compact in design

Wet and dry applications

Vacuum includes 27 ft., 3" hose that connects the grinder to vacuum and 200 dust bags

Designed to plug into 220–240 V domestic /residential power supplies

Washable polyester filters

All metal super-industrial strength construction

DC 3300 Technical Data

>

Motor 3x, 1100 W, 4 hp. 16 Amps
Voltage 220 V, 1 Phase
Weight - 214 lbs
Product size - L x W x H 36 x 26 x 60 inch
Air Flow 325 cfm
Max. vacuum - 4.35 psi
Suction inlet diameter 3" (75 mm)
Primary filtration surface area - 11 square ft
Micro filter surface area - 11 square ft

Schematics and Parts
Owners Manual

Motor

Phases
1 ph

Voltage
220-240 V

Rated current
16 A

Rated input power
4 hp

Specifications

Primary filtration area
11 ft²;

Max. vacuum
4.35 psi

>

Dimensions

Product size length
900 mm

Product size width
660 mm

Product size height
1520 mm

Weight
97 kg

Suction inlet diameter
75 mm

Other

Primary filtration area
1 m²;

Micro filter area
1 m²;

. Recommended power supply

>

Recommended power supply
Will operate on two standard 120 volt wall outlets
Video On Link
Husqvarna PG280 PG450 DM340 S36 Blastrac 1-8DEC 230v Power Supply
L6-20R No Generator Required Bundle 83280365

Please note customer is responsible for all shipping surcharges including but not limited to: Limited access fee, inside delivery fees, call for an appointment fees, lift gate fees, etc.

Optional

PG 530

Husqvarna PG530 Concrete Floor Grinder 480v 3 Phase 5Hp 21 Inch
965195821 PG 530 Air Scrubber Bundle

20201220

Husqvarna PG 530 Concrete Floor Grinder Diamond Segment Bundle 240v
14Amp 5Hp 21 Inch 965195814 PG530 20201220

PG530

Husqvarna PG 530 Concrete Floor Grinder Power Supply Bundle 240v
14Amp 5Hp 21 Inch 965195814 [PG530]

965 19 58-14

Husqvarna PG 530 Concrete Floor Grinder Price Match 240v 14Amp 5Hp 21
Inch [965 19 58-14] F PG530 965195814

>

<https://www.contractorsdirect.com/Husqvarna-DC3300-Vacuum> \$5782.59
-->

Availability: This product was added to our catalog on Wednesday 23 February, 2022