

>



Model Number: 24012-025

Winco Generators WL12000HE-17/A 3 Phase Industrial Portable Generators 12000 Watt 132/230V GX630cc Honda 24012-025

Manufacturer: Winco Generators

Winco Generators WL12000HE-17/A 3 Phase 132/230V 3-PH Industrial Portable Generators 12000/10800 Watt 120 GX630cc Honda/OHV Engine 24012-025

WL12000HE

The WL12000HE is the workhorse of Winco's Big Dog portable generator series. The WL12000HE will save you time and money giving your company a competitive advantage over crews using other portable generators. The 15 gallon fuel tank provides 9 hours of run time at full load so you won't have to take unscheduled breaks to refuel your industrial generator. The factory installed lifting bar makes it easy to get this generator on and off the roof while the pneumatic tires on the four wheel dolly kit make maneuvering this generator easy. The WL12000HE is the preferred portable generator in the flat top roofing industry. It is durable enough to handle the hours while providing clean power for sensitive equipment. The WL12000HE-17A 3 phase will have an L21-30 receptacle.

Neither come standard with a Battery or the wheel kits.

[Print Brochure](#)

[Print Owner's Manual](#)

[Print Technical Specifications](#)

[Why Winco Industrial Portables?](#)

[Winco Generators Are made In The Good Old U.S.A.](#)

[American Made](#)

[Product Features](#)

[132/230V 3-PH](#)

[WINCO's first 3-PH Big Dog!](#)

>

## Honda GX630 Engine

You expect the best, you get the best. The Honda GX630 is better than ever. Including improved adaptability, quieter operation, and greater fuel efficiency.

## Low Oil Protection

In the event of low-oil level, the engine will shut down, which will protect the engine from damage.

## Powder Coat Paint

Incredibly strong finish.

## Sturdy Wrap Around Cradle

14 Gauge, welded, tubular steel provides industrial strength support.

## 15 Gallon Fuel Tank

EPA Approved steel fuel tank designed to eliminate hydrocarbon emissions.

## Premium Circuit Breakers

Provides a clear and instant indication of a tripped circuit.

## 100% Load Tested

You won't find statistical sampling here. We load test every generator before it leaves our facility

## Engine

- Durable Honda GX630 commercial engine
- Cast iron cylinder sleeves
- Fuel efficient design
- Genuine Honda muffler is 2-3 dba quieter than other aftermarket designs
- Available in CARB compliant version/ EPA compliant standard
- Electric start

## Generator

- Clean power at less than 5% total harmonic distortion
- Steady voltage regulation is safe for sensitive electronics
- Heavy duty capacitors and diodes
- 100% copper windings

## Additional Features

- Large 15 gallon non-corrosive fuel tank
- Oversized full power plug
- Industrial Square D mainline circuit breaker

>

- Industry leading 1/60th second reaction time
- Visi-Trip indicator

- Made in USA
- Full commercial warranty

- 3 years engine
- 2 years generator
- 412 lbs
- 50 x 27 x 31

Additional Information

Starting Watts

12000

Running Watts

10800

Running Amps

34

Voltage Output

132/230 Volt Three Phase

Voltage Regulation

AVR (Automatic Voltage Regulator)

>

120V Receptacles  
(3) NEMA 5-20R 20A (GFCI) Duplex

Full Power Receptacles  
(1) NEMA L21-30R 30A

Engine Brand  
Honda

Fuel  
Gasoline

Emissions  
CARB/California, EPA Prime

Dimensions  
40" x 26.5" x 26"

Weight  
412 lbs.

Unit Warranty  
3 Years Commercial

>

Assembled In

USA

Winco Generators - Quality & Innovation since 1927.

Need Help Loading & Unloading? Check Out Our Selection of Loading Ramps  
Click Here

<https://steadypower.com/product/winco-wl12000he-04a-generator-12000w-3ph-120-208v/> \$5603.00

-->

BE ADVISED:

- Beginning December 1st, 2022, Winco has chosen to enlist an updated cancellation policy in an effort to better meet the needs of our existing partners as well as future partners.

NUMBER OF DAYS CANCELLATION REQUEST RECEIVED, FOLLOWING  
ORDER DATE  
CANCELLATION FEE

Within 0-30 days of order  
5%

Within 30-60 days of order  
10%

More than 60 days  
15%

Product Shipped  
25%

>

(Note: On custom orders (M-specs & C-specs); no cancellation allowed after one week of initial order date as procurement of materials has already started.)

*Availability: This product was added to our catalog on Friday 22 April, 2022*