

>



Model Number: 115684
Ametek Lamb 115684-00, 7.2 inch Two stage Vacuum motor, 240 volts 5.9 amps
Manufacturer: Ametek-Lamb

Bypass Vacuum Motor/Blower, Body Diameter 7.2 Inches, Blower Stages 2, Voltage @ 50/60 Hz 240 Volts, Maximum Current Rating 5.9 Amps, Maximum Air Power 356 Watts, Air Flow @ 2 Inches Orifice 101.2 CFM, Vacuum (H2O Sealed) 109.6 Inches, Style B, Overall Height 6 3/16 Inches, Tangential Discharge, Metal Mounting Brackets

Item
AC/DC Vacuum Motor/Blower
Discharge
Tangential
Blower Stages
2
Enclosure
Open
CFM @ 2-In. Orifice
101.2
Vacuum (H2O Sealed)
109.6
Voltage
240
Hz

>

60/50

Phase

1

Max. Amps

5.9

Max. Air Watts

356

Mounting

All Position

Thermal Protection

None

Insulation Class

A

Bearings

Ball

Ambient (C)

40

Body Dia. (In.)

7.2

Overall Height (In.)

>

6-3/16

Mounting Brackets

Metal

Duty

Intermittent

Average Life (Hours)

700

Standards

UL Recognized (E47185), CSA Certified (LR31393)

Footnotes

68

Replacement Brushes

2UV77

Optional

Add Vacuum Motor Lint Screen Filtration and Gasket to any vacuum motor

Gasket Vacuum Motors fits 5.7in Vacuum Motors 1/4" Thick PP43-807110

>

Mytee G004A PX13

Availability: This product was added to our catalog on Thursday 24 February, 2011